

API Documentation

Request URL Format: http://path/to/lms/api/rest.php?auth=<rest_auth_code>&q=/restAPI/<module>/<operation>/<params>

Example: http://path/to/lms/api/rest.php?auth=<rest_auth_code>&q=/restAPI/course/courses/false

Available Modules:

- course
- user

Available Operations:

- **course**
 - courses
 - *category* (category id; integer)
 - *false*
 - editions
 - *course_id*
 - *course_code*
 - classrooms
 - *course_id*
 - *course_code*
 - addusersubscription
 - *idst* (user id)
 - *course_id*
 - *course_code*
 - *edition_id*
 - *edition_code*
 - *classroom_id*
 - *classroom_code*
 - *user_level* ('student' for example)
 - updateusersubscription
 - *idst* (user id)
 - *course_id*
 - *course_code*
 - *edition_id*
 - *edition_code*
 - *classroom_id*
 - *classroom_code*
 - *user_level* ('student' for example)
 - *user_status*

API Documentation

- deleteusersubscription
 - *idst* (user id)
 - *course_id*
 - *course_code*
 - *edition_id*
 - *edition_code*
 - *classroom_id*
 - *classroom_code*
 - *user_level* ('student' for example)
 - *user_status*
- subscribeuserwithcode
 - *idst* (user id)
 - *reg_code*
 - *reg_code_type*
- **user**
 - userlist
 - *false*
 - userdetails
 - *idst* (user id)
 - customfields
 - *language*
 - createuser (user data must be posted, following are post variables)
 - *userid*
 - *firstname*
 - *lastname*
 - *password*
 - *email*
 - *signature*
 - *pwd_expire_at*
 - *reg_code*
 - *reg_code_type*
 - *role* ('admin', 'godadmin' etc.)
 - *language*
 - *orgchart*

API Documentation

- updateuser
 - *idst* (only one parameter rest all are post variables)
 - *userid* (user name)
 - *firstname*
 - *lastname*
 - *password*
 - *email*
 - *signature*
 - *lastenter*
 - *valid*
- deleteuser
 - *idst*
- userdetailsbyuserid
 - *userid*
- userdetailsfromcredentials (no parameters, following available variables can be posted)
 - *userid*
 - *password*
 - *password_encoded*
- updateuserbyuserid
 - *userid* (only one parameter, rest all variables need to be posted)
 - *firstname*
 - *lastname*
 - *password*
 - *email*
 - *signature*
 - *lastenter*
 - *valid*
- mycourses
 - *idst* (only one parameter, following variable can be posted)
 - *filter* ('completed', 'notcompleted', 'notstarted' are the possible values)
- kbsearch
 - *idst* (only one parameter, following variables need to be posted)
 - *search*
 - *course_filter*
 - *start_index*
 - *results*
- importtextusers

API Documentation

- importtextusersfromemail
- countusers
 - *status*
- checkregcode (no parameters, all variables need to be posted)
 - *reg_code*
 - *reg_code_type*
- checkusername (no parameters, all variables need to be posted)
 - *userid*
 - *also_check_as_email*